

SØLØVEN

Survey Vessel



- Guard vessel
- Bottom sampling
- Trial fishery
- Video- and multibeam survey
- Sidescan sonar survey
- POD-handling
- Bird observation
- Accommodates up to 12 surveyors

SPECIFICATIONS

Flag:	Danish
Year built/rebuilt:	Naval Yard, Copenhagen, 1960
Society:	Danish Maritime Authorities to BV I 3/3 L.1.1.A & C.P.Glace
Call sign:	OXQL2
GT:	390
LOA:	46 meters
BR:	8.48 meters
Depth:	3,5 meters
Main Engine:	B&W ALPHA, 720 BHP, (530 kW)
Auxiliary/Generators:	1 Frichs, type 4185 C, 2 x 76 KVA 1 MWM, type E 227-6, 1 x 37.5 KVA
Speed:	11.5 knots
Steering gear:	Svendborg, type ELQR-4
Propeller:	CPP Kamewa, Ø 2100 mm
Navigation equipment:	1 radar, Atlas 9600 ARPA 1 radar, Raytheon Pathfinder 1 gyro, Anschütz
Equipment:	1 GPS Koden, 1 DGPS MX2000Furuno Navigator, 1 chart plotter, Sodena 1 echo sounder, Atlas Deso 1 sonar, Elac 1 radio station, Sailor Gmdss.A2 Navtex, Epirb, Sart 3 VHF, Sailor
Cargo equipment:	1 x 5 ts cargo winch, hydr. low pressure 1 x 3 ts derrick winch. 2 x 3 ts. aux. winches. 1 x 10 ts. winch, hydr. high pressure
Life rafts:	2 x 25 men, type Viking
Boats and boat cranes/davit:	1 aluminium working boat with 63 hp Deutz engine 1 Zodiac MOB boat with 25 hp outboard engine 1 davit for aluminium work boat, type ACEBI 1 crane for MOB boat, type ACTA DC 10
Other information:	safety equipment approved by the Danish Maritime Authorities.
Accommodation:	Capacity for up to 12 surveyors



FOGA ApS
FISKERNES
ORIENTERING
OM OLIE- OG
GSAKTIVITETER

Trafikhavnskaj 19
DK-6700 Esbjerg

Tel. +45 75 451144
Fax +45 75 451176
Mobil +45 2161 4512
E-mail: fish.info@foga.dk
Web: www.foga.dk

